



4'x6' MEETING BOOTH



Features and Specifications

Exterior dimensions W x D x H: 77.4" x 53.4" x 96"

Interior dimensions W x D x H: 72" x 48" x 90.5"

24" x 36" x 1" thick D-Top work surface.

Motion sensor activates LED pot lights and dual fan.

Power: Two outlet, 2.0A USB, 110V, 15A, 60Hz.

Double layer MLV and Enermax sound insulation sandwich with flush mount PET acoustic interior panels.


Whiteboard (**optional: replaces PET acoustic panel, see elevation options below*).

35 STC Acoustic glass.


Double layer high CAC (40) high NRC (.80) acoustic ceiling tiles.

24" Ladder pull and door closer.


Limited 3 year warranty.




Elevation 1




Elevation 2




Elevation 3



Ceiling plan





Section A-A




Section B-B




4' X 6' MEETING BOOTH (ACOUSTIC PANEL ELEVATION)




Elevation 1




Elevation 2




Elevation 3



Ceiling plan



Section A-A



Section B-B




4' X 6' MEETING BOOTH (WHITE BOARD ELEVATION)


Laminate Finishes




White



Willow Grey



Silver Grey



Milky Way



Storm Grey



Chocolate Walnut



London Fog



Windy City



Cappuccino



Nutmeg



Riviera Maple



Cherry Henna

Acoustic Panels



Charcoal Grey



Silver Grey